

4TH SEM./CIVIL ENGINEERING/ 2022(S)

TH3 LAND SURVEY-I

Full Marks: 80

Time- 3 Hrs

Answer any five Questions including Q No.1& 2
Figures in the right hand margin indicates marks

1. Answer **All** questions 2 x 10
- a. What is Simpson's rule for calculation of area in survey?
 - b. What is parallax?
 - c. Define latitude and departure of a survey line
 - d. What is the principle of reciprocal levelling?
 - e. What is meant by unique identification number of parcel in map preparation?
 - f. Why optical square is used in surveying?
 - g. What is a field book? What are the types of field books?
 - h. Convert the following WCBs to QB
 - a. $160^{\circ} 25'$
 - b. $285^{\circ} 30'$
 - c. $15^{\circ} 45'$
 - d. $203^{\circ} 30'$
 - i. Define isogonic and agonic lines.
 - j. Why well conditioned triangles are preferred in chain surveying?
2. Answer **Any Six** Questions 6 x 5
- a. Enlist and explain the function of each instrument used in plane table surveying with neat sketch.
 - b. Explain about cadastral map preparation methodology.
 - c. The following offsets were taken from a chain line to an irregular boundary line at an interval of 10m:
0, 2.50, 3.50, 5.00, 4.60, 3.20, 0m
Compute the area between the chain line, the irregular boundary line and the end offsets by (a) The mid-ordinate rule & (b) The trapezoidal rule.
 - d. Explain the procedure to set out an angle of $30^{\circ} 40' 13''$ with theodolite.

- e. A 30m steel tape was standardised at a temperature of 20°C and under a pull of 5 kg. The tape was used in catenary at a temperature of 25°C and under a pull of 11 kg. The cross sectional area of tape is 0.02 cm^2 and its total weight is 660 gm. Find the correct horizontal distance. Take $E=2\times 10^6\text{ kg/cm}^2$ & $\alpha=11\times 10^{-6}/^{\circ}\text{C}$.
- f. Explain about characteristics of contours with neat sketch.
- g. Differentiate between Surveyor Compass and Prismatic Compass.

3 Explain the procedure for solving two point and three point problems in plane table surveying. 10

4 The following bearings were observed in traversing with a compass in an area where local attraction was suspected. Find the stations affected with local attraction and calculate the correct bearings of lines. 10

Line	FB	BB
AB	$68^{\circ} 15'$	$248^{\circ} 15'$
BC	$148^{\circ} 45'$	$326^{\circ} 15'$
CD	$224^{\circ} 30'$	$46^{\circ} 00'$
DE	$217^{\circ} 15'$	$38^{\circ} 15'$
EA	$327^{\circ} 45'$	$147^{\circ} 45'$

5 Explain the procedure of chaining to overcome an obstacle where chaining is obstructed but vision is free. 10

6 Write the procedure for finding area using Latitude and Double Meridian Distance method and find out the area of a closed traverse considering following data by Latitude and DMD method 10

SIDE	LATITUDE	DEPARTURE
AB	+225.5	+120.5
BC	-245.0	+210.0
CD	-150.5	-110.5
DA	+170.0	-220.0

7 The following consecutive readings were taken with a dumpy level along a chain line at a common interval of 15m. 10
3.150, 2.245, 1.125, 0.860, 3.125, 2.760, 1.835, 1.470, 1.965, 1.225, 2.390, and 3.035m.

The first reading was at a chainage of 165m where RL is 98.085. The instrument was shifted after the fourth and ninth readings. Find RL of all points using rise-and-fall method.